Product Name	Cylinder Bollard Light — Black Aluminium LED Path Light, 60 to 200 cm
Style	Modern minimalist
Power Supply	Hardwired · AC 220–240V, 50Hz



A slim black bollard light with a softly glowing acrylic cylinder on top, made to line paths, lawns and driveways.

Five heights: 60, 80, 100, 150 and 200 cm. Die-cast aluminium body, integrated 6W LED, 420 lumens of warm 3000K light.

IP55 rated for open gardens and walkways. Bolted down and hardwired by a licensed electrician.







Basic Product Information



Product Code	AVD-CYLB
Product Type	Bollard light
Power Supply	Hardwired · AC 220–240V, 50Hz
Product Colour	Black








Product Details

Material	Die-cast aluminium, acrylic shade

Core Specifications

Height	60 cm
Width	approx. 12.2–12.7 cm
Depth	approx. 12.2–12.7 cm



Basic Product Information



Product Code	AVD-CYLB
Product Type	Bollard light
Power Supply	Hardwired · AC 220–240V, 50Hz
Product Colour	Black








Product Details

Material	Die-cast aluminium, acrylic shade



Core Specifications

Height	80 cm
Width	approx. 12.2–12.7 cm
Depth	approx. 12.2–12.7 cm

Basic Product Information



Product Code	AVD-CYLB
Product Type	Bollard light
Power Supply	Hardwired · AC 220–240V, 50Hz
Product Colour	Black








Product Details

Material	Die-cast aluminium, acrylic shade



Core Specifications

Height	100 cm
Width	approx. 12.2–12.7 cm
Depth	approx. 12.2–12.7 cm

Basic Product Information



Product Code	AVD-CYLB
Product Type	Bollard light
Power Supply	Hardwired · AC 220–240V, 50Hz
Product Colour	Black








Product Details

Material	Die-cast aluminium, acrylic shade



Core Specifications

Height	150 cm
Width	approx. 12.2–12.7 cm
Depth	approx. 12.2–12.7 cm

Basic Product Information



Product Code	AVD-CYLB
Product Type	Bollard light
Power Supply	Hardwired · AC 220–240V, 50Hz
Product Colour	Black








Product Details

Material	Die-cast aluminium, acrylic shade



Core Specifications

Height	200 cm
Width	approx. 12.2–12.7 cm
Depth	approx. 12.2–12.7 cm





Voltage	AC 220–240V, 50Hz
Light Source Type	Integrated LED
Light Source Included	Yes
Colour Temperature	3000K
Dimmable	No
IP Rating	IP55

Quality Check & Installation









Installation Method	Ground mounted — bolt the base to a firm surface; wiring by a licensed electrician.
Application Scenarios	Gardens, paths, driveways, courtyards
Product Accessories	Light fixture ×1, lamp post ×1, screw pack ×1