Product Name	Diamond Pillar Light — Faceted Black Post Cap Light, Warm White LED, 5 Sizes
Style	Modern geometric
Power Supply	Hardwired · AC 220–240V, 50Hz



A diamond-shaped pillar light with a faceted black die-cast aluminium frame and glowing polycarbonate panels.

Five sizes from approx. 16.5 x 25.5 cm to 40 x 49 cm, 8W to 30W, with soft, even warm white 3000K LED light.

IP65 rated with sealed joints, for gate pillars, fence posts and garden walls. Hardwired by a licensed electrician.







Basic Product Information



Product Code	AVD-DIAP
Product Type	Pillar light
Power Supply	Hardwired · AC 220–240V, 50Hz
Product Colour	Black








Product Details

Material	Die-cast aluminium, PC shade

Core Specifications

Height	24.9–25.5 cm
Width	15.7–16.5 cm
Depth	15.7–16.5 cm



Basic Product Information



Product Code	AVD-DIAP
Product Type	Pillar light
Power Supply	Hardwired · AC 220–240V, 50Hz
Product Colour	Black








Product Details

Material	Die-cast aluminium, PC shade

Core Specifications

Height	31 cm
Width	21.8–22 cm
Depth	21.8–22 cm



Basic Product Information



Product Code	AVD-DIAP
Product Type	Pillar light
Power Supply	Hardwired · AC 220–240V, 50Hz
Product Colour	Black








Product Details

Material	Die-cast aluminium, PC shade

Core Specifications

Height	36.8–37 cm
Width	27.9–28.5 cm
Depth	27.9–28.5 cm



Basic Product Information



Product Code	AVD-DIAP
Product Type	Pillar light
Power Supply	Hardwired · AC 220–240V, 50Hz
Product Colour	Black








Product Details

Material	Die-cast aluminium, PC shade

Core Specifications

Height	43.9–44 cm
Width	33.8–34 cm
Depth	33.8–34 cm



Basic Product Information



Product Code	AVD-DIAP
Product Type	Pillar light
Power Supply	Hardwired · AC 220–240V, 50Hz
Product Colour	Black








Product Details

Material	Die-cast aluminium, PC shade

Core Specifications

Height	48.8–49 cm
Width	39.9–40 cm
Depth	39.9–40 cm







Voltage	AC 220–240V, 50Hz
Light Source Type	Integrated LED
Light Source Included	Yes
Colour Temperature	3000K
Dimmable	No
IP Rating	IP65

Quality Check & Installation









Installation Method	Post-top mount — screw the base to the pillar or post; wiring by a licensed electrician.
Application Scenarios	Gate pillars, fence posts, garden walls
Product Accessories	Pillar light ×1, screw pack ×1