

Product Name Luminara | Sleek Minimalist
LED Outdoor Wall Sconce

Style Modern / Linear


Power Supply Hardwired



An ultra-slim linear wall light in aluminium with a PMMA diffuser, reading as a thin dark line by day and a continuous band of light after dark.

Five lengths from about one metre to two, mounted vertically beside a door or horizontally along a facade.

Four light modes — warm white, white, three-step dimming or fully dimmable — and IP65 protection for exposed walls.




Specifications & Quality Documentation

Dimensions, materials, electrical detail and installation requirements for this fixture.

● Basic Product Information

Product Type	Linear outdoor wall light
Power Supply	Hardwired
Mounting	Wall-mounted, vertical or horizontal
Modes	Warm White · White · 3-Step Dimming · Dimmer
Illumination Area	Approximately 15–30 m ² (161–323 sq ft)
Sold As	Single, or sets of 2, 4, 6 or 8



● Materials & Construction

Body	Aluminium, rust-resistant
Diffuser	PMMA acrylic
Ingress Protection	IP65 – driving rain and dust
Use	Outdoor – facades, balconies, commercial entrances

● Lengths

Length (in)	Length (mm)	Power
40	1016	32 W
48	1219	38 W
60	1524	48 W
67	1702	54 W
78	1981	64 W

Efficacy is approximately 120 lumens per watt. Metric lengths are converted from the manufacturer's inch measurements – confirm the mounting surface suits the length selected before ordering.



● Electrical & Light Source

Supply	Hardwired to mains
Operating Voltage	220–240V AC, 50Hz
Light Source	Integrated LED
Power	32 W / 38 W / 48 W / 54 W / 64 W by length
Efficacy	Approximately 120 lm/W
Modes	Warm White / White / 3-Step Dimming / Dimmable – selected at order
Light Source Included	Yes – integrated, not replaceable
Dimmable	Yes, on the dimming versions

● Installation

Method	Surface-mounted to the wall, vertical or horizontal
Wiring (Australia)	Brown – Active Blue – Neutral Green/Yellow – Earth
Installer	Must be installed by a licensed electrician in Australia
Position	Suitable for exposed positions – IP65 rated
Suits	Minimalist facades, entries, balconies, commercial doorways

● In the Box

Wall light x 1 (or per set quantity) · Mounting bracket · Fixing screw pack · Instruction sheet.

hello@avendae.com

www.avendae.com

Email support, 7 days a week

Document version 1.0 · Issued 23 September 2026 · Avendae, Australia · Specifications may change – confirm current detail at avendae.com